

CLASSIFICATION: 09 34 00

created via: HPDC Online Builder

PRODUCT DESCRIPTION: A thin, load-bearing waterproofing designed specifically for the special requirements of ceramic tile, stone and brick installations. A self-curing liquid rubber polymer and a reinforcing fabric are quickly applied to form a flexible, seamless waterproofing membrane that bonds to a wide variety of substrates.

Section 1: Summary

Basic Method / Product Threshold

CONTENT INVENTORY

Inventory Reporting Format

- Nested Materials Method
- Basic Method

Threshold Disclosed Per

- Material
- Product

Threshold level

- 100 ppm
- 1,000 ppm
- Per GHS SDS
- Per OSHA MSDS
- Other

Residuals/Impurities

- Considered
- Partially Considered
- Not Considered

Explanation(s) provided for Residuals/Impurities?

- Yes
- No

Are All Substances Above the Threshold Indicated:

Characterized Yes No
Percent Weight and Role Provided?

Screened Yes No
Using Priority Hazard Lists with Results Disclosed?

Identified Yes No
Name and Identifier Provided?

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

Number of Greenscreen BM-4/BM3 contents..... 1
Contents highest concern GreenScreen Benchmark or List translator Score..... BM-1
Nanomaterial..... No

MATERIAL | SUBSTANCE | RESIDUAL OR IMPURITY
GREENSCREEN SCORE | HAZARD TYPE

LATICRETE 9235 WATERPROOFING MEMBRANE [WATER BM-4
UNDISCLOSED LT-UNK UNDISCLOSED NoGS CARBON BLACK LT-1 | CAN
ETHYLENE GLYCOL BM-1 | MAM | DEL | END UNDISCLOSED LT-P1 | END |
CAN | MUL UNDISCLOSED LT-UNK ZINC OXIDE BM-1 | AQU | RES | MUL
UNDISCLOSED LT-1 | CAN | MUL UNDISCLOSED LT-P1 | MAM | SKI
UNDISCLOSED LT-P1 | MAM | SKI | EYE | AQU | MUL UNDISCLOSED LT-
UNK | MAM | SKI UNDISCLOSED BM-1 | MUL LIMESTONE; CALCIUM
CARBONATE (LIMESTONE; CALCIUM CARBONATE) LT-UNK]

INVENTORY AND SCREENING NOTES:

This HPD was created with Basic Inventory.

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

Material (g/l): 2.39 Regulatory (g/l): N/A
Does the product contain exempt VOCs: No
Are ultra-low VOC tints available: N/A

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings.

VOC emissions: UL GreenGuard (9235)
VOC content: TDS 251 "Low VOC LATICRETE® Products"

CONSISTENCY WITH OTHER PROGRAMS

No pre-checks completed or disclosed

Third Party Verified?

- Yes
- No

PREPARER: Self-Prepared
VERIFIER:
VERIFICATION #:

SCREENING DATE: 2017-04-27
PUBLISHED DATE: 2017-08-31
EXPIRY DATE: 2020-04-27

Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.1, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-1-standard

LATICRETE 9235 WATERPROOFING MEMBRANE

PRODUCT THRESHOLD: 100 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

RESIDUALS AND IMPURITIES NOTES: Residuals and impurities are measured by quantitative methods and are only displayed when they are potentially greater than 100 ppm.

OTHER PRODUCT NOTES: See SDS at www.laticrete.com for occupational exposure information.

WATER

ID: 7732-18-5

#: 40.0000 - 45.0000 GS: BM-4 RC: None NANO: No ROLE: Diluent

HAZARDS: AGENCY(IES) WITH WARNINGS:

None Found No warnings found on HPD Priority lists

SUBSTANCE NOTES: The amount of this component may vary based on plant of manufacture.

UNDISCLOSED

#: 25.0000 - 35.0000 GS: LT-UNK RC: None NANO: No ROLE: Polymer

HAZARDS: AGENCY(IES) WITH WARNINGS:

None Found No warnings found on HPD Priority lists

SUBSTANCE NOTES: The amount of this component may vary based on plant of manufacture. This product is shown as undisclosed to preserve integrity of formula and maintain competitive advantage. The component CAS # was used to identify associated hazards.

UNDISCLOSED

#: 18.0000 - 25.0000 GS: NoGS RC: None NANO: No ROLE: Filler

HAZARDS: AGENCY(IES) WITH WARNINGS:

None Found No warnings found on HPD Priority lists

SUBSTANCE NOTES: The amount of this component may vary based on the plant of manufacture. This product is shown as undisclosed to preserve integrity of formula and maintain competitive advantage. The component CAS# was used to identify associated hazards.

CARBON BLACK

ID: 1333-86-4

#: **1.0000 - 3.0000** GS: **LT-1** RC: **None** NANO: **No** ROLE: **Pigment**

HAZARDS:	AGENCY(IES) WITH WARNINGS:	
CANCER	US CDC - Occupational Carcinogens	Occupational Carcinogen
CANCER	CA EPA - Prop 65	Carcinogen - specific to chemical form or exposure route
CANCER	IARC	Group 2B - Possibly carcinogenic to humans - inhaled from occupational sources
CANCER	MAK	Carcinogen Group 3B - Evidence of carcinogenic effects but not sufficient for classification

SUBSTANCE NOTES: The amount of this component may vary based on plant of manufacture.

ETHYLENE GLYCOL

ID: **107-21-1**

#: **1.0000 - 2.0000** GS: **BM-1** RC: **None** NANO: **No** ROLE: **Freeze/Thaw Stabilizer**

HAZARDS:	AGENCY(IES) WITH WARNINGS:	
MAMMALIAN	EU - R-phrases	R22 - Harmful if Swallowed
DEVELOPMENTAL	CA EPA - Prop 65	Developmental toxicity
DEVELOPMENTAL	US NIH - Reproductive & Developmental Monographs	Clear Evidence of Adverse Effects - Developmental Toxicity
ENDOCRINE	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor

SUBSTANCE NOTES: The amount of this component may vary based on plant of manufacture.

UNDISCLOSED

#: **0.3000 - 0.8000** GS: **LT-P1** RC: **None** NANO: **No** ROLE: **Surfactant**

HAZARDS:	AGENCY(IES) WITH WARNINGS:	
ENDOCRINE	EU - Priority Endocrine Disrupters	Category 1 - In vivo evidence of Endocrine Disruption Activity
CANCER	EU - SVHC Authorisation List	Carcinogenic - Prioritized for listing
ENDOCRINE	ChemSec - SIN List	Endocrine Disruption
ENDOCRINE	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
MULTIPLE	German FEA - Substances Hazardous to Waters	Class 3 - Severe Hazard to Waters

SUBSTANCE NOTES: The amount of this component may vary based on plant of manufacture. This product is shown as undisclosed to preserve integrity of formula and maintain competitive advantage. The component CAS # was used to identify associated hazards.

UNDISCLOSED

#: **0.2000 - 0.5000**

GS: **LT-UNK**

RC: **None**

NANO: **No**

ROLE: **Thickener**

HAZARDS:

AGENCY(IES) WITH WARNINGS:

None Found

No warnings found on HPD Priority lists

SUBSTANCE NOTES: The amount of this component may vary based on plant of manufacture. This product is shown as undisclosed to preserve integrity of formula and maintain competitive advantage. The component CAS # was used to identify associated hazards.

ZINC OXIDE

ID: **1314-13-2**

#: **0.1500 - 0.2500**

GS: **BM-1**

RC: **None**

NANO: **No**

ROLE: **Cure Accelerator**

HAZARDS:

AGENCY(IES) WITH WARNINGS:

ACUTE AQUATIC

EU - R-phrases

R50 - Very Toxic to Aquatic Organisms

RESPIRATORY

AOEC - Asthmagens

Asthmagen (ARs) - sensitizer-induced - inhalable forms only

ACUTE AQUATIC

EU - GHS (H-Statements)

H400 - Very toxic to aquatic life

CHRON AQUATIC

EU - GHS (H-Statements)

H410 - Very toxic to aquatic life with long lasting effects

MULTIPLE

German FEA - Substances Hazardous to Waters

Class 2 - Hazard to Waters

SUBSTANCE NOTES: The amount of this component may vary based on plant of manufacture.

UNDISCLOSED

#: **0.1000 - 0.2000**

GS: **LT-1**

RC: **None**

NANO: **No**

ROLE: **Defoamer**

HAZARDS:

AGENCY(IES) WITH WARNINGS:

CANCER

EU - R-phrases

R45 - May cause cancer

CANCER

EU - GHS (H-Statements)

H350 - May cause cancer

CANCER

EU - REACH Annex XVII CMRs

Carcinogen Category 2 - Substances which should be regarded as if they are Carcinogenic to man

MULTIPLE

ChemSec - SIN List

CMR - Carcinogen, Mutagen &/or Reproductive Toxicant

CANCER

EU - Annex VI CMRs

Carcinogen Category 1B - Presumed Carcinogen based on animal evidence

SUBSTANCE NOTES: The amount of this component may vary based on plant of manufacture. This product is shown as undisclosed to preserve integrity of formula and maintain competitive advantage. The component CAS # was used to identify associated hazards.

UNDISCLOSED

#: **0.0500 - 0.1000**

GS: **LT-P1**

RC: **None**

NANO: **No**

ROLE: **pH Adjuster**

HAZARDS:

AGENCY(IES) WITH WARNINGS:

MAMMALIAN	EU - R-phrases	R22 - Harmful if Swallowed
SKIN IRRITATION	EU - R-phrases	R35 - Causes severe burns
SKIN IRRITATION	EU - GHS (H-Statements)	H314 - Causes severe skin burns and eye damage

SUBSTANCE NOTES: The amount of this component may vary based on the plant of manufacture. This product is shown as undisclosed to preserve integrity of formula and maintain competitive advantage. The component CAS# was used to identify associated hazards.

UNDISCLOSED

%: 0.0100 - 0.0300 HAZARDS:	GS: LT-P1 AGENCY(IES) WITH WARNINGS:	RC: None	NANO: No	ROLE: Preservative
MAMMALIAN	EU - R-phrases		R22 - Harmful if Swallowed	
SKIN IRRITATION	EU - R-phrases		R38 - Irritating to skin	
EYE IRRITATION	EU - R-phrases		R41 - Risk of serious damage to eyes	
SKIN SENSITIZE	EU - R-phrases		R43 - May cause sensitization by skin contact	
ACUTE AQUATIC	EU - R-phrases		R50 - Very Toxic to Aquatic Organisms	
ACUTE AQUATIC	EU - GHS (H-Statements)		H400 - Very toxic to aquatic life	
SKIN IRRITATION	EU - GHS (H-Statements)		H315 - Causes skin irritation	
SKIN SENSITIZE	EU - GHS (H-Statements)		H317 - May cause an allergic skin reaction	
EYE IRRITATION	EU - GHS (H-Statements)		H318 - Causes serious eye damage	
MULTIPLE	German FEA - Substances Hazardous to Waters		Class 2 - Hazard to Waters	
SKIN SENSITIZE	MAK		Sensitizing Substance Sh - Danger of skin sensitization	

SUBSTANCE NOTES: The amount of this component may vary based on the plant of manufacture. This product is shown as undisclosed to preserve integrity of formula and maintain competitive advantage. The component CAS# was used to identify associated hazards.

UNDISCLOSED

%: 0.0100 - 0.0300 HAZARDS:	GS: LT-UNK AGENCY(IES) WITH WARNINGS:	RC: None	NANO: No	ROLE: Preservative
MAMMALIAN	EU - R-phrases		R22 - Harmful if Swallowed	
SKIN SENSITIZE	EU - R-phrases		R43 - May cause sensitization by skin contact	
SKIN SENSITIZE	EU - GHS (H-Statements)		H317 - May cause an allergic skin reaction	
SKIN SENSITIZE	MAK		Sensitizing Substance Sh - Danger of skin sensitization	

SUBSTANCE NOTES: The amount of this component may vary based on the plant of manufacture. This product is shown as undisclosed to preserve integrity of formula and maintain competitive advantage. The component CAS# was used to identify associated hazards.

UNDISCLOSED

#: **0.0100 - 0.0300** GS: **BM-1** RC: **None** NANO: **No** ROLE: **Anti-Microbial**

HAZARDS:

AGENCY(IES) WITH WARNINGS:

MULTIPLE

German FEA - Substances Hazardous to Waters

Class 3 - Severe Hazard to Waters

SUBSTANCE NOTES: The amount of this component may vary based on plant of manufacture. This product is shown as undisclosed to preserve integrity of formula and maintain competitive advantage. The component CAS # was used to identify associated hazards.

LIMESTONE; CALCIUM CARBONATE (LIMESTONE; CALCIUM CARBONATE)

ID: **1317-65-3**

#: **Impurity/Residual** GS: **LT-UNK** RC: **None** NANO: **No** ROLE: **Impurity/Residual**

HAZARDS:

AGENCY(IES) WITH WARNINGS:

None Found

No warnings found on HPD Priority lists

SUBSTANCE NOTES: This substance is an impurity or residual. This impurity/residual may or may not be present based on the source of the raw material and/or be less than 100 ppm.

Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS	UL GreenGuard (9235)		
CERTIFYING PARTY: Third Party	ISSUE DATE: 2009-07-07	EXPIRY DATE: 2017-12-09	CERTIFIER OR LAB: UL Environment
APPLICABLE FACILITIES: Applies to All Facilities.			
CERTIFICATE URL: http://certificates.ulenvironment.com/default.aspx?id=2538&t=cs			
CERTIFICATION AND COMPLIANCE NOTES: Meets LEED v4 Credit "Low Emitting Materials" Emissions and Content Requirements			

VOC CONTENT	TDS 251 "Low VOC LATICRETE® Products"		
CERTIFYING PARTY: Self-declared	ISSUE DATE: 2016-07-07	EXPIRY DATE:	CERTIFIER OR LAB: LATICRETE
APPLICABLE FACILITIES: Applies to all facilities.			
CERTIFICATE URL: https://www.laticrete.com/~media/support-and-downloads/technical-datasheets/tds251.ashx?la=en			
CERTIFICATION AND COMPLIANCE NOTES: Meets LEED v4 Credit "Low Emitting Materials" Emissions and Content Requirements.			

Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

LATICRETE WATERPROOFING/ANTI-FRACTURE FABRIC

HPD URL: **No HPD link provided**

CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES:

LATICRETE 9235 Waterproofing Membrane must be used with LATICRETE Waterproofing/Anti-Fracture Fabric following the directions as stated in the product data sheet.

Section 5: General Notes

LATICRETE® 9235 Waterproofing Membrane meets the Living Building Challenge requirement that the product does not contain any of the Red Listed Materials or Chemicals. Specifically, LATICRETE 9235 Waterproofing Membrane does not contain the following: •Alkylphenols* •Asbestos •Bisphenol A (BPA)* •Cadmium •Chlorinated Polyethylene & Chlorosulfonated Polyethylene •Chlorobenzenes* •Chlorofluorocarbons (CFCs) & Hydrochlorofluorocarbons (HCFCs)* •Chloroprene (Neoprene) •Chromium VI* •Chlorinated Polyvinyl Chloride (CPVC)* •Formaldehyde (all types - added) •Halogenated Flame Retardants (HFRs) •Lead (added) •Mercury •Polychlorinated Biphenyls (PCBs)* •Perfluorinated Compounds (PFCs)* •Phthalates •Polyvinyl Chloride (PVC) •Polyvinylidene Chloride (PVDC)* •Short Chain Chlorinated Paraffins* •Wood treatments containing Creosote, Arsenic or Pentachlorophenol. LATICRETE 9235 Waterproofing Membrane also does not contain the following California-defined Group II toxic exempt solvents: •Methylene Chloride (Dichloromethane) •1,1,1-trichloroethane (methyl chloroform) •Trichlorofluoromethane (CFC-11) •Dichlorofluoromethane (CFC-12) •1,1,2-trichloro-1,2,2-trifluoroethane (CFC-113) •1,2-dichloro-1,1,2,2-tetrafluoroethane (CFC-114) •Chloropentafluoroethane (CFC-115) •Cyclic, Branched or Linear, Completely Methylated Siloxanes •(VMS) •Tetrachloroethylene (perchloroethylene) •Ethylfluoride (HFC-161) •1,1,1,3,3,3-hexafluoropropane (HFC-236fa) •1,1,2,3,3-pentafluoropropane (HFC-245ca) •1,1,2,3,3-pentafluoropropane (HFC-245ea) •1,1,1,2,3-pentafluoropropane (HFC-245eb) •1,1,1,3,3-pentafluoropropane (HFC-245fa) •1,1,1,2,3,3-hexafluoropropane (HFC-236ea) •1,1,1,3,3-pentafluorobutane (HFC-365mfc) •chlorofluoromethane (HCFC-31) •1,2-dichloro-1,1,2-trifluoroethane (HCFC-123a) •1 chloro-1-fluoroethane)HCFC-151a)

Section 6: References

MANUFACTURER INFORMATION

MANUFACTURER: **LATICRETE International**

ADDRESS: **1 Laticrete Park North
Bethany CT 06524, USA**

WEBSITE: **www.laticrete.com**

CONTACT NAME: **Mitch Hawkins**

TITLE: **Technical Services Manager**

PHONE: **203-393-4619**

EMAIL: **wmhawkins@laticrete.com**

KEY

OSHA MSDS Occupational Safety and Health Administration Material Safety Data Sheet

Hazard Types

AQU Aquatic toxicity

CAN Cancer

DEV Developmental toxicity

END Endocrine activity

EYE Eye irritation/corrosivity

GEN Gene mutation

GLO Global warming

MAM Mammalian/systemic/organ toxicity

MUL Multiple hazards

NEU Neurotoxicity

OZO Ozone depletion

PBT Persistent Bioaccumulative Toxic

PHY Physical Hazard (reactive)

REP Reproductive toxicity

RES Respiratory sensitization

SKI Skin sensitization/irritation/corrosivity

LAN Land Toxicity

NF Not found on Priority Hazard Lists

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)

BM-3 Benchmark 3 (use but still opportunity for improvement)

BM-2 Benchmark 2 (use but search for safer substitutes)

BM-1 Benchmark 1 (avoid - chemical of high concern)

BM-U Benchmark Unspecified (insufficient data to benchmark)

LT-P1 List Translator Possible Benchmark 1

LT-1 List Translator Likely Benchmark 1

LT-UNK List Translator Benchmark Unknown (insufficient information from List Translator lists to benchmark)

NoGS Unknown (no data on List Translator Lists)

Recycled Types

PreC Preconsumer (Post-Industrial)

PostC Postconsumer

Both Both Preconsumer and Postconsumer

Unk Inclusion of recycled content is unknown

None Does not include recycled content

Other Terms

Inventory Methods:

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material

Nested Method / Product Threshold Substances listed within each material per threshold indicated per product

Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology

Third Party Verified Verification by independent certifier approved by HPDC

Preparer Third party preparer, if not self-prepared by manufacturer

Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.