LATICRETE® PERMACOLOR® Grout by LATICRETE International

Health Product Declaration v2.2

created via: HPDC Online Builder

HPD UNIQUE IDENTIFIER: 23961 CLASSIFICATION: 09 30 00 Tiling

PRODUCT DESCRIPTION: High performance cement based grout which meets ANSI A118.7 and ISO CG2WA.



Section 1: Summary

Basic Method / Product Threshold

CONTENT INVENTORY

Inventory Reporting Format

C Nested Materials Method

Basic Method

Threshold Disclosed Per

Material

Product

Threshold level

C 1,000 ppm O Per GHS SDS

Other

Residuals/Impurities

Considered

C Partially Considered

Not Considered

Explanation(s) provided for Residuals/Impurities?

Yes O No

All Substances Above the Threshold Indicated Are:

Characterized ○ Yes Ex/SC ○ Yes ○ No

% weight and role provided for all substances.

Screened ○ Yes Ex/SC ⊙ Yes ○ No

All substances screened using Priority Hazard Lists with

results disclosed.

Identified ○ Yes Ex/SC ○ Yes ⊙ No

One or more substances not disclosed by Name (Specific or Generic) and Identifier and/ or one or more

Special Condition did not follow guidance.

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

MATERIAL | SUBSTANCE | RESIDUAL OR IMPURITY

GREENSCREEN SCORE | HAZARD TYPE

LATICRETE® PERMACOLOR® GROUT [QUARTZ LT-1 | CAN HIGH-ALUMINA CEMENT LT-UNK UNDISCLOSED NoGS UNDISCLOSED LT-

UNK PORTLAND CEMENT LT-P1 | CAN | END PLASTER OF PARIS Nogs undisclosed LT-unk undisclosed LT-unk Lithium

CARBONATE LT-1 | DEV | REP UNDISCLOSED LT-UNK UNDISCLOSED

LT-UNK UNDISCLOSED LT-UNK UNDISCLOSED LT-UNK

UNDISCLOSED LT-UNK UNDISCLOSED LT-1 | CAN | MUL

UNDISCLOSED BM-1 | END | MUL CALCIUM CARBONATE BM-3 LIMESTONE; CALCIUM CARBONATE LT-UNK TITANIUM DIOXIDE LT-1

| CAN | END FERRIC OXIDE BM-1 | CAN UNDISCLOSED LT-UNK

UNDISCLOSED LT-UNK UNDISCLOSED LT-P1 UNDISCLOSED LT-1 |

RES | CAN | GEN | REP ULTRAMARINE (PIGMENT) LT-UNK]

Number of Greenscreen BM-4/BM3 contents ... 1

Contents highest concern GreenScreen

Benchmark or List translator Score ... BM-1

Nanomaterial ... No

INVENTORY AND SCREENING NOTES:

This HPD was created with Basic Inventory. Materials listed as Undisclosed in Section 2 is done to preserve integrity of formula and maintain competitive advantage. The component CAS# was used to identify associated hazards of these components.

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

Material (g/l): 0.00 Regulatory (g/l): N/A Does the product contain exempt VOCs: No Are ultra-low VOC tints available: N/A

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings.

VOC emissions: UL GreenGuard Gold (PERMACOLOR) VOC content: TDS 251 "Low VOC LATICRETE® Products"

LCA: LATICRETE Grout for Tile Installation Product Specific (Type III)

Environmental Product Declaration

CONSISTENCY WITH OTHER PROGRAMS

Pre-checked for LEED v4 Material Ingredients Option 1

Third Party Verified?

Yes No

PREPARER: Self-Prepared

VERIFIER: **VERIFICATION #:** SCREENING DATE: 2021-03-01 PUBLISHED DATE: 2021-03-01 EXPIRY DATE: 2024-03-01



Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.2, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-2-standard

LATICRETE® PERMACOLOR® GROUT

PRODUCT THRESHOLD: 100 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

RESIDUALS AND IMPURITIES NOTES: Residuals and impurities are measured by quantitative methods and are only displayed when they are potentially greater than 100 ppm.

OTHER PRODUCT NOTES: See SDS at www.laticrete.com for occupational exposure information.

QUARTZ ID: 14808-60-7 HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2021-03-01 %: 55.0000 - 65.0000 GS: LT-1 RC: None NANO: No SUBSTANCE ROLE: Filler HAZARD TYPE AGENCY AND LIST TITLES WARNINGS CAN **US CDC - Occupational Carcinogens** Occupational Carcinogen CAN Carcinogen - specific to chemical form or exposure route CA EPA - Prop 65 CAN US NIH - Report on Carcinogens Known to be Human Carcinogen (respirable size occupational setting) MAK Carcinogen Group 1 - Substances that cause cancer in CAN **IARC** CAN Group 1 - Agent is carcinogenic to humans - inhaled from occupational sources CAN **IARC** Group 1 - Agent is Carcinogenic to humans CAN GHS - Australia H350i - May cause cancer by inhalation CAN GHS - New Zealand 6.7A - Known or presumed human carcinogens CAN GHS - Japan Carcinogenicity - Category 1A [H350]

HIGH-ALUMINA CEMENT				
HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD SCR	REENING DATE:	2021-03-01
%: 20.0000 - 30.0000	GS: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Binder

HAZARD TYPE AGENCY AND LIST TITLES WARNINGS

SUBSTANCE NOTES: The amount of this component may vary based on plant of manufacture.

None found No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: The amount of this component may vary based on plant of manufacture.

UNDISCLOSED ID: Undisclosed

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2021-03-01

%: 5.0000 - 8.0000 GS: NoGS RC: None NANO: No SUBSTANCE ROLE: Filler

HAZARD TYPE AGENCY AND LIST TITLES WARNINGS

None found

SUBSTANCE NOTES: The amount of this component may vary based on plant of manufacture. This product is shown as undisclosed to preserve integrity of formula and maintain competitive advantage. The component CAS # was used to identify associated hazards.

UNDISCLOSED ID: Undisclosed

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2021-03-01

%: **5.0000 - 7.0000** GS: **LT-UNK** RC: **None** NANO: **No** SUBSTANCE ROLE: **Binder**

HAZARD TYPE AGENCY AND LIST TITLES WARNINGS

None found No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: The amount of this component may vary based on plant of manufacture. This product is shown as undisclosed to preserve integrity of formula and maintain competitive advantage. The component CAS # was used to identify associated hazards.

PORTLAND CEMENT ID: 65997-15-1

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2021-03-01

%: 2.0000 - 4.0000 GS: LT-P1 RC: None NANO: No SUBSTANCE ROLE: Binder

HAZARD TYPE AGENCY AND LIST TITLES WARNINGS

CAN MAK Carcinogen Group 3B - Evidence of carcinogenic effects

but not sufficient for classification

END TEDX - Potential Endocrine Disruptors Potential Endocrine Disruptor

SUBSTANCE NOTES: The amount of this component may vary based on plant of manufacture.

PLASTER OF PARIS ID: 26499-65-0

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2021-03-01

%: **1.0000 - 2.0000** GS: **NoGS** RC: **None** NANO: **No** SUBSTANCE ROLE: **Filler**

HAZARD TYPE AGENCY AND LIST TITLES WARNINGS

None found No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: The amount of this component may vary based on plant of manufacture.

UNDISCLOSED ID: Undisclosed

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2021-03-01

%: 1.0000 - 3.0000 GS: LT-UNK RC: None NANO: No SUBSTANCE ROLE: Polymer species

No warnings found on HPD Priority Hazard Lists

HAZARD TYPE AGENCY AND LIST TITLES WARNINGS

None found No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: The amount of this component may vary based on plant of manufacture. This product is shown as undisclosed to preserve integrity of formula and maintain competitive advantage. The component CAS # was used to identify associated hazards.

UNDISCLOSED ID: Undisclosed

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2021-03-01

%: 0.2000 - 0.5000 GS: LT-UNK RC: None NANO: No SUBSTANCE ROLE: Processing regulator

HAZARD TYPE AGENCY AND LIST TITLES WARNINGS

None found No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: The amount of this component may vary based on plant of manufacture. This product is shown as undisclosed to preserve integrity of formula and maintain competitive advantage. The component CAS # was used to identify associated hazards.

LITHIUM CARBONATE ID: 554-13-2

%: 0.1500 - 0.2500 GS: LT-1 RC: None NANO: No SUBSTANCE ROLE: Processing regulator

HAZARD TYPE AGENCY AND LIST TITLES WARNINGS

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2021-03-01

DEV CA EPA - Prop 65 Developmental toxicity

REP GHS - New Zealand 6.8A - Known or presumed human reproductive or

developmental toxicants

REP GHS - Japan Toxic to reproduction - Category 1A [H360]

SUBSTANCE NOTES: The amount of this component may vary based on the plant of manufacture. This product is shown as undisclosed to preserve integrity of formula and maintain competitive advantage. The component CAS# was used to identify associated hazards.

UNDISCLOSED ID: Undisclosed

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2021-03-01

%: 0.1000 - 0.2000 GS: LT-UNK RC: None NANO: No SUBSTANCE ROLE: Processing regulator

HAZARD TYPE AGENCY AND LIST TITLES WARNINGS

None found No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: The amount of this component may vary based on plant of manufacture. This product is shown as undisclosed to preserve integrity of formula and maintain competitive advantage. The component CAS # was used to identify associated hazards.

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2021-03-01

%: 0.0500 - 0.1000 GS: LT-UNK RC: None NANO: No SUBSTANCE ROLE: Viscosity modifier

UNDISCLOSED

ID: Undisclosed

HAZARD TYPE AGENCY AND LIST TITLES WARNINGS

None found No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: The amount of this component may vary based on plant of manufacture. This product is shown as undisclosed to preserve integrity of formula and maintain competitive advantage. The component CAS # was used to identify associated hazards.

UNDISCLOSED ID: Undisclosed

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2021-03-01

%: 0.0500 - 0.1500 GS: LT-UNK RC: None NANO: No SUBSTANCE ROLE: Defoamer

HAZARD TYPE AGENCY AND LIST TITLES WARNINGS

None found No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: The amount of this component may vary based on plant of manufacture. This product is shown as undisclosed to preserve integrity of formula and maintain competitive advantage. The component CAS # was used to identify associated hazards.

UNDISCLOSED ID: Undisclosed

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2021-03-01

%: 0.0500 - 0.1000 GS: LT-UNK RC: None NANO: No SUBSTANCE ROLE: Plasticizer

HAZARD TYPE AGENCY AND LIST TITLES WARNINGS

None found No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: The amount of this component may vary based on plant of manufacture. This product is shown as undisclosed to preserve integrity of formula and maintain competitive advantage. The component CAS # was used to identify associated hazards.

UNDISCLOSED ID: Undisclosed

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2021-03-01

%: 0.0500 - 0.2000 GS: LT-UNK RC: None NANO: No SUBSTANCE ROLE: Processing regulator

HAZARD TYPE AGENCY AND LIST TITLES WARNINGS

None found No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: The amount of this component may vary based on plant of manufacture. This product is shown as undisclosed to preserve integrity of formula and maintain competitive advantage. The component CAS # was used to identify associated hazards.

UNDISCLOSED ID: Undisclosed

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2021-03-01

%: 0.0500 - 0.1000 GS: LT-1 RC: None NANO: No SUBSTANCE ROLE: Defoamer

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
CAN	EU - GHS (H-Statements)	H350 - May cause cancer
CAN	EU - REACH Annex XVII CMRs	Carcinogen Category 2 - Substances which should be regarded as if they are Carcinogenic to man
CAN	EU - Annex VI CMRs	Carcinogen Category 1B - Presumed Carcinogen based on animal evidence
MUL	ChemSec - SIN List	CMR - Carcinogen, Mutagen &/or Reproductive Toxicant
CAN	GHS - Australia	H350 - May cause cancer

SUBSTANCE NOTES: The amount of this component may vary based on plant of manufacture. This product is shown as undisclosed to preserve integrity of formula and maintain competitive advantage. The component CAS # was used to identify associated hazards.

UNDISCLOSED					ID: Undisclose
HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD	SCREEN	ING DATE:	2021-03-01
%: 0.0100 - 0.0150	GS: BM-1	RC: Non	ie NA	ANO: No	SUBSTANCE ROLE: Biocide
HAZARD TYPE	AGENCY AND LIST TITLES		WARNING	S	
END	TEDX - Potential Endocrine Disruptors		Potential E	Endocrine D	Disruptor
MUL	German FEA - Substances Hazardous Waters	to	Class 3 - S	Severe Haza	ard to Waters

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2021-03-01

%: Impurity/Residual GS: BM-3 RC: None NANO: No SUBSTANCE ROLE: Impurity/Residual

HAZARD TYPE AGENCY AND LIST TITLES WARNINGS

None found No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: This substance is an impurity or residual. This impurity/residual may or may not be present based on the source of the raw material and, if present, may or may not be greater than 100 ppm.

LIMESTONE; CALCIUM CARBONATE

ID: 1317-65-3

ID: 471-34-1

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2021-03-01

%: Impurity/Residual GS: LT-UNK RC: None NANO: No SUBSTANCE ROLE: Impurity/Residual

HAZARD TYPE AGENCY AND LIST TITLES WARNINGS

None found No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: This substance is an impurity or residual. This impurity/residual may or may not be present based on the source of the raw material and, if present, may or may not be greater than 100 ppm.

CALCIUM CARBONATE

TITANIUM DIOXIDE ID: 13463-67-7

HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD SCREENING DATE: 2021-03-01			
%: 0.0000 - 8.0000	GS: LT-1	RC: None	e NANO: No	SUBSTANCE ROLE: Pigment	
HAZARD TYPE	AGENCY AND LIST TITLES	V	VARNINGS		
CAN	EU - GHS (H-Statements)	H351 - Suspected of causing cancer		causing cancer	
CAN	US CDC - Occupational Carcinogens	Occupational Carcinogen		ogen	
CAN	CA EPA - Prop 65	Carcinogen - specific to chemical form or exp		to chemical form or exposure route	
CAN	IARC		Group 2B - Possibly or rom occupational so	carcinogenic to humans - inhaled urces	
CAN	MAK	Carcinogen Group 3A - Evidence of carcinogenic ef but not sufficient to establish MAK/BAT value		· ·	
END	TEDX - Potential Endocrine Disruptors	F	Potential Endocrine D	Disruptor	
CAN	MAK		Carcinogen Group 4 - isk under MAK/BAT I	Non-genotoxic carcinogen with lovelevels	

FERRIC OXIDE ID: 1309-37-1 HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2021-03-01 %: 0.0000 - 1.0000 GS: BM-1 RC: None NANO: No SUBSTANCE ROLE: Pigment WARNINGS **HAZARD TYPE** AGENCY AND LIST TITLES CAN MAK Carcinogen Group 3B - Evidence of carcinogenic effects but not sufficient for classification SUBSTANCE NOTES: The amount of this component may vary based on plant of manufacture and intended color of grout.

UNDISCLOSED				ID: Undisclosed	
HAZARD SCREENING METHOD:	ZARD SCREENING METHOD: Pharos Chemical and Materials Library		REENING DATE:	2021-03-01	
%: 0.0000 - 2.0000	GS: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Pigment	
HAZARD TYPE	AGENCY AND LIST TITLES	WAR	NINGS		
None found			No warning	s found on HPD Priority Hazard Lists	
SUBSTANCE NOTES: The amo	unt of this component may vary based on p	lant of manufa	cture and intend	ed color of grout.	

UNDISCLOSED				ID: Undisclosed	
HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE:		2021-03-01	
%: 0.0000 - 2.0000	GS: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Pigment	
HAZARD TYPE	AGENCY AND LIST TITLES	WARN	IINGS		
None found			No warnings	s found on HPD Priority Hazard Lists	

SUBSTANCE NOTES: The amount of this component may vary based on plant of manufacture and intended color of grout.

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2021-03-01
%: 0.0000 - 2.0000 GS: LT-P1 RC: None NANO: No SUBSTANCE ROLE: Pigment
HAZARD TYPE AGENCY AND LIST TITLES WARNINGS
None found No warnings found on HPD Priority Hazard Lists

UNDISCLOSED ID: Undisclosed HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2021-03-01 %: 0.0000 - 2.0000 GS: LT-1 RC: None NANO: No SUBSTANCE ROLE: Pigment WARNINGS **HAZARD TYPE** AGENCY AND LIST TITLES RES AOEC - Asthmagens Asthmagen (G) - generally accepted CAN MAK Carcinogen Group 2 - Considered to be carcinogenic for RES MAK Sensitizing Substance Sah - Danger of airway & skin sensitization MAK **GEN** Germ Cell Mutagen 3a REP GHS - Australia H360F - May damage fertility

 ULTRAMARINE (PIGMENT)

 HAZARD SCREENING METHOD:
 Pharos Chemical and Materials Library
 HAZARD SCREENING DATE:
 2021-03-01

 %: 0.0000 - 2.0000
 GS: LT-UNK
 RC: None
 NANO: No
 SUBSTANCE ROLE: Pigment

 HAZARD TYPE
 AGENCY AND LIST TITLES
 WARNINGS

 None found
 No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: The amount of this component may vary based on plant of manufacture and intended color of grout.

Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS

UL GreenGuard Gold (PERMACOLOR)

CERTIFYING PARTY: Third Party

07

ISSUE DATE: 2009-07- EXPIRY DATE: 2021-

07-09

CERTIFIER OR LAB: UL

Environment

APPLICABLE FACILITIES: Applies to All Facilities.

CERTIFICATE URL: http://certificates.ulenvironment.com/default.aspx?

id=4870&t=cs

CERTIFICATION AND COMPLIANCE NOTES: Meets LEED v4.1 Credit "Low Emitting Materials" Emissions Requirements. This product was tested in accordance with California Department of Public Health (CDPH) v1.2 in an office and classroom environment.

VOC CONTENT

TDS 251 "Low VOC LATICRETE® Products"

CERTIFYING PARTY: Self-declared

ISSUE DATE: 2020-08- EXPIRY DATE:

CERTIFIER OR LAB: LATICRETE

APPLICABLE FACILITIES: Applies to All Facilities.

CERTIFICATE URL:

https://cdn.laticrete.com/~/media/support-anddownloads/technical-datasheets/tds251.ashx

CERTIFICATION AND COMPLIANCE NOTES: Meets LEED v4.1 Credit "Low Emitting Materials" VOC Content Requirements per SCAQMD Rule 1168 (Tile Adhesive).

LCA

LATICRETE Grout for Tile Installation Product Specific (Type III) Environmental **Product Declaration**

CERTIFYING PARTY: Third Party

ISSUE DATE: 2016-11- EXPIRY DATE: 2021-

CERTIFIER OR LAB: UL

APPLICABLE FACILITIES: Applies to All Facilities in North

11-28

Environment

CERTIFICATE URL:

https://cdn.laticrete.com/~/media/environmental-product-

data-sheets/cement-grout-for-tile-and-stone-

installation.ashx

CERTIFICATION AND COMPLIANCE NOTES: Meets LEED v.14 Credit "Building Product Disclosure and Optimization-Environmental Product Declarations" requirements as a Product Specific (Type III) EPD.



Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

WATER

HPD URL: No HPD Available

CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES:

LATICRETE PERMACOLOR Grout to be mixed with water only following mix ratio and directions as stated on product data sheet.



Section 5: General Notes

LATICRETE® PERMACOLOR® Grout meets the Living Building Challenge v4.0 requirement that the product does not contain any of the Red Listed Materials or Chemicals. Specifically, LATICRETE PERMACOLOR Grout does not contain the following: Antimicrobials (marketed with a health claim) •Alkylphenols and related compounds •Asbestos •Bisphenol A (BPA) and structural analogues •California Banned Solvents •Chlorinated Polymers, including Chlorinated polyethylene (CPE), Chlorinated Polyvinyl Chloride (CPVC), Chloroprene (neoprene monomer), Chlorosulfonated polyethylene (CSPE), Polyvinylidiene chloride (PVDC), and Polyvinyl Chloride (PVC) • Chlorobenzenes • Chlorofluorocarbons (CFCs) & Hydrochlorofluorocarbons (HCFCs) •Formaldehyde (added) • Monomeric, polymeric and organo-phosphate halogenated flame retardants (HFRs) •Organotin Compounds

•Short-Chain and Medium-Chain Chlorinated Paraffins •Toxic Heavy Metals - Arsenic, Cadmium, Ch treatments containing Creosote, Arsenic or Pentachlorophenol. See Section 1 for Volatile Organic Co information.	
LATICRETE PERMACOLOR Grout	

•Perfluorinated Compounds (PFCs) •Phthalates (orthophthalates) •Polychlorinated Biphenyls (PCBs) •Polycyclic Aromatic Hydrocarbons (PAH)

MANUFACTURER INFORMATION

MANUFACTURER: LATICRETE International

ADDRESS: 1 Laticrete Park North

Bethany CT 06524, USA

WEBSITE: https://laticrete.com

CONTACT NAME: Mitch Hawkins

TITLE: Senior Manager, Technical Services

PHONE: 203-393-4619

EMAIL: wmhawkins@laticrete.com

The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.

KEY

Hazard Types

AQU Aquatic toxicity

CAN Cancer

DEV Developmental toxicity

END Endocrine activity

EYE Eye irritation/corrosivity

GEN Gene mutation

GLO Global warming

LAN Land toxicity

MAM Mammalian/systemic/organ toxicity

MUL Multiple

NEU Neurotoxicity

NF Not found on Priority Hazard Lists

OZO Ozone depletion

PBT Persistent, bioaccumulative, and toxic

PHY Physical hazard (flammable or reactive)

REP Reproductive

RES Respiratory sensitization

SKI Skin sensitization/irritation/corrosivity

UNK Unknown

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)

BM-3 Benchmark 3 (use but still opportunity for improvement)

BM-2 Benchmark 2 (use but search for safer substitutes)

BM-1 Benchmark 1 (avoid - chemical of high concern)

BM-U Benchmark Unspecified (due to insufficient data)

LT-P1 List Translator Possible 1 (Possible Benchmark-1)

LT-1 List Translator 1 (Likely Benchmark-1)

LT-UNK List Translator Benchmark Unknown (the chemical is

to a LT-1 or LTP1 score.)

Recycled Types

PreC Pre-consumer recycled content

PostC Post-consumer recycled content

UNK Inclusion of recycled content is unknown

None Does not include recycled content

present on at least one GreenScreen Specified List, but the

information contained within the list did not result in a clear mapping

NoGS No GreenScreen.

Other Terms:

GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Inventory Methods:

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material Nested Method / Product Threshold Substances listed within each material per threshold indicated per product Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology

Third Party Verified Verification by independent certifier approved by HPDC

Preparer Third party preparer, if not self-prepared by manufacturer

Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.